	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	BRS	2	EP-828230-$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 13:51			0
2	IS&R	2	("5924426").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 07:50			0
3	BRS	9	("2221774" | "3596390" | "4160271" | "4561850" | "4681546" | "4842523" | "5178169" | "5311293" | "5562109").PN.	USPAT	2004/10/13 07:51			0
4	BRS	9	5562109.URPN.	USPAT	2004/10/13 07:51			0
5	BRS	173	(make$1up cosmetic$1 eye$shade eye$shadow lip$1stick) with (color near3 (classif$7 categor$7 group$3 organi$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 14:44			0
6	BRS	99	((make$1up cosmetic$1 eye$shade eye$shadow lip$1stick) with (color near3 (classif$7 categor$7 group$3 organi$6))) and @ad<=20000413	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 15:48			0
7	BRS	283	(make$1up cosmetic$1 eye$shade eye$shadow lip$1stick) same (color near3 (classif$7 categor$7 group$3 organi$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 14:35			0
8	BRS	158	((make$1up cosmetic$1 eye$shade eye$shadow lip$1stick) same (color near3 (classif$7 categor$7 group$3 organi$6))) and @ad<=20000413	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 14:44			0
9	BRS	15226	(make$1up cosmetic$1 eye$shade eye$shadow lip$1stick) near3 appl$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 15:54			0
10	BRS	14823	(make$1up cosmetic$1) near3 appl$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 15:46			0
11	BRS	874	(lip$1stick) near3 appl$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/19 11:13			0
12	BRS	91	(eye$shade eye$shadow) near3 appl$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 15:48			0
13	BRS	53	((eye$shade eye$shadow) near3 appl$7) and @ad<=20000413	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 15:57			0

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
BRS	334	((make$1up cosmetic$1 eye$shade eye$shadow lip$1stick) near3 appl$7) same imag$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 16:05			0
BRS	140	((make$1up cosmetic$1 eye$shade eye$shadow lip$1stick) near3 appl$7) with imag$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 15:55			0
BRS	86	(((make$1up cosmetic$1 eye$shade eye$shadow lip$1stick) near3 appl$7) with imag$3) and @ad<=20000413	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 15:58			0
BRS	10	("5450504" | "5495338" | "5500673" | "5576778" | "5617483" | "5617486" | "5719951" | "5724484" | "5761325" | "5787186").PN.	USPAT	2004/10/15 16:31			0
BRS	5686	((make$1up cosmetic$1 eye$shade eye$shadow lip$1stick) near3 (eye$1lid lip mouth))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 16:06			0
BRS	64	((make$1up cosmetic$1 eye$shade eye$shadow lip$1stick) near3 (eye$1lid lip mouth)) with image	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 16:16			0
BRS	32	(((make$1up cosmetic$1 eye$shade eye$shadow lip$1stick) near3 (eye$1lid lip mouth)) with image) and @ad<=20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 16:16			0
BRS	119	(((make$1up cosmetic$1 eye$shade eye$shadow lip$1stick) near3 (eye$1lid lip mouth)) same image	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 16:16			0
BRS	73	(((make$1up cosmetic$1 eye$shade eye$shadow lip$1stick) near3 (eye$1lid lip mouth)) same image) and @ad<=20000412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 16:16			0
BRS	36	(((face facial lipmouth eyelid) near3 colo$1r) with (classif$7 categor$7)) and @ad<2001043	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/19 10:35			0
BRS	56	(((face facial lip mouth eyelid) near3 colo$1r) with (classif$7 categor$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/19 10:34			0
BRS	169	((face facial lip mouth eyelid) with colo$1r) with (classif$7 categor$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/19 10:34			0
BRS	39	(((face facial lip mouth eyelid) near3 colo$1r) with (classif$7 categor$7)) and @ad<20010413	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/19 10:38			0

Type	Hits	Search Text	DBs	Time Stamp	Comments	Definition	Error	Errors
27	BRS	99	(((face facial lip mouth eyelid) with colo$1r) with (classif$7 categor$7)) and @ad<2001413	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/19 10:39				0
28	BRS	75	(((face facial lip mouth eyelid) with colo$1r) with (classif$7 categor$7)) and @ad<2000413	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/19 10:39				0
29	BRS	15	((lip$1stick) near3 appl$7) with image	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/19 11:14				0
30	BRS	33217	(add$5 accumulat$3 sum$4) with (grad$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/19 15:51				0
31	BRS	12310	(add$5 accumulat$3 sum$4) near3 (grad$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/19 15:52				0
32	BRS	10	(add$5 accumulat$3 sum$4) near3 (grad$3 adj1 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/19 15:59				0
33	BRS	543	(add$5 accumulat$3 sum$4) near3 ((grad$3 evaluat$3) adj1 (data result score))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/19 16:00				0
34	BRS	354	(add$5 accumulat$3 sum$4) near3 ((evaluat$3) adj1 (result score))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/19 16:01				0
35	BRS	10	(add$5 accumulat$3 sum$4) near3 ((evaluat$3) adj1 (result score)) same (cosmetic make$1up color lipstick)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/19 16:02				0
36	BRS	2318	382/165,224,225,228;132/317,333;434/99.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/20 11:12				0

10/009,887   *(partial listing)*

Subscribe (Full Service)   Register (Limited Service, Free)   Login

Search: ◉ The ACM Digital Library   ○ The Guide

cosmetic makeup make-up color classif

THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used **cosmetic** **makeup** **make** **up** **color** **classif**   Found **1,125** of **143,484**

Sort results by   relevance ▼   🖏 Save results to a Binder   Try an Advanced Search
                                      ❓ Search Tips   Try this search in The ACM Guide
Display results   expanded form ▼   ☐ Open results in a new window

Results 1 - 20 of 200   Result page: **1** 2 3 4 5 6 7 8 9 10 next
Best 200 shown   Relevance scale ☐ ▭ ▨ ▩ ▉

1 Image-based skin color and texture analysis/synthesis by extracting hemoglobin and melanin information in the skin
Norimichi Tsumura, Nobutoshi Ojima, Kayoko Sato, Mitsuhiro Shiraishi, Hideto Shimizu, Hirohide Nabeshima, Syuuichi Akazaki, Kimihiko Hori, Yoichi Miyake
July 2003 **ACM Transactions on Graphics (TOG)**, Volume 22 Issue 3

Full text available: 📄 pdf(2.81 MB)   Additional Information: full citation, abstract, references, index terms

This paper proposes an E-cosmetic function for digital images based on physics and physiologically-based image processing. A practical skin color and texture analysis/synthesis technique is introduced for this E-cosmetic function. Shading on the face is removed by a simple color vector analysis in the optical density domain as an inverse lighting technique. The image without shading is analyzed by a previously introduced technique that extracts hemoglobin and melanin components by independent co ...

Keywords: hemoglobin, independent component analysis, inverse lighting, melanin, physiologically-based rendering, pyramid-based texture analysis and synthesis, skin color, skin texture

2 A structural view of the Cedar programming environment
Daniel C. Swinehart, Polle T. Zellweger, Richard J. Beach, Robert B. Hagmann
August 1986 **ACM Transactions on Programming Languages and Systems (TOPLAS)**, Volume 8 Issue 4

Full text available: 📄 pdf(6.32 MB)   Additional Information: full citation, abstract, references, citings, index terms

This paper presents an overview of the Cedar programming environment, focusing on its overall structure—that is, the major components of Cedar and the way they are organized. Cedar supports the development of programs written in a single programming language, also called Cedar. Its primary purpose is to increase the productivity of programmers whose activities include experimental programming and the development of prototype software systems for a high-performance personal computer. T ...

3 Applying Tufte's principles of information design to creating effective Web sites
Beverly B. Zimmermann
October 1997 **Proceedings of the 15th annual international conference on Computer documentation**

Full text available: 📄 pdf(926.69 KB)   Additional Information: full citation, references, index terms

Keywords: document design, home pages, informationdesign, web page design

4 Similarity querying II: QCluster: relevance feedback using adaptive clustering for
   content-based image retrieval
   Deok-Hwan Kim, Chin-Wan Chung
   June 2003 **Proceedings of the 2003 ACM SIGMOD international conference on
              Management of data**

   Full text available: pdf(2.15 MB)   Additional Information: full citation, abstract, references, citings, index
                                                                 terms

   The learning-enhanced relevance feedback has been one of the most active research areas
   in content-based image retrieval in recent years. However, few methods using the
   relevance feedback are currently available to process relatively complex queries on large
   image databases. In the case of complex image queries, the feature space and the distance
   function of the user's perception are usually different from those of the system. This
   difference leads to the representation of a query with multiple ...

   Keywords: classification, cluster-merging, content-based image retrieval, image database,
   relevance feedback

5 The design and analysis of a cache architecture for texture mapping
   Ziyad S. Hakura, Anoop Gupta
   May 1997 **ACM SIGARCH Computer Architecture News , Proceedings of the 24th
             annual international symposium on Computer architecture**, Volume 25 Issue 2

   Full text available: pdf(2.10 MB)   Additional Information: full citation, abstract, references, citings, index
                                                                 terms

   The effectiveness of texture mapping in enhancing the realism of computer generated
   imagery has made support for real-time texture mapping a critical part of graphics
   pipelines. Despite a recent surge in interest in three-dimensional graphics from computer
   architects, high-quality high-speed texture mapping has so far been confined to costly
   hardware systems that use brute-force techniques to achieve high performance. One
   obstacle faced by designers of texture mapping systems is the requirement ...

6 Human communications issues in advanced UIs
   Aaron Marcus
   April 1993 **Communications of the ACM**, Volume 36 Issue 4

   Full text available: pdf(4.83 MB)   Additional Information: full citation, references, citings, index terms

7 Session P15: multidimensional, motion, and information visualization: Assisted
   navigation for large information spaces
   Brent M. Dennis, Christopher G. Healey
   October 2002 **Proceedings of the conference on Visualization '02**

   Full text available: pdf(4.36 MB)   Additional Information: full citation, abstract, references, citings, index
                                                                 terms

   This paper presents a new technique for visualizing large, complex collections of data. The
   size and *dimensionality* of these datasets make them challenging to display in an effective
   manner. The images must show the global structure of spatial relationships within the
   dataset, yet at the same time accurately represent the local detail of each data element
   being visualized. We propose combining ideas from information and scientific visualization

together with a *navigation assista* ...

Keywords: *camera planning, information visualization, multidimensional visualization, navigation, scientific visualization*

8 Language representation and psychology: The relation of grammar to cognition: a synopsis

Leonard Talmy

July 1978   **Proceedings of the 1978 workshop on Theoretical issues in natural language processing**

Full text available: pdf(1.20 MB) Publisher Site   Additional Information: full citation, abstract, references, citings

A sentence (or other portion of discourse) is taken to evoke in the listener a meaning complex, here called a "cognitive representation". The lexical elements of the sentence, to simplify, by and large specify the content of the cognitive representation, while the grammatical elements specify its structure. Thus, looking systematically at the actual notions specified by grammatical elements can give us a handle for ascertaining the very makeup of (linguistic-) cognitive structuring. We according ...

9 The relation of grammar to cognition—a synopsis

Leonard Talmy

July 1978   **Proceedings of the theoretical issues in natural language processing-2**

Full text available: pdf(1.18 MB)   Additional Information: full citation, abstract, references, citings, index terms

A sentence (or other portion of discourse) is taken to evoke in the listener a meaning complex, here called a "cognitive representation". The lexical elements of the sentence, to simplify, by and large specify the content of the cognitive representation, while the grammatical elements specify its structure. Thus, looking systematically at the actual notions specified by grammatical elements can give us a handle for ascertaining the very makeup of (linguistic-) cognitive structur ...

10 Introduction & overview of "artificial life"—evolving intelligent agents for modeling & simulation

A. Martin Wildberger

November 1996 **Proceedings of the 28th conference on Winter simulation**

Full text available: pdf(987.66 KB)   Additional Information: full citation, references

11 A conversation with Austin Henderson

Kate Ehrlich

November 1998 **interactions**, Volume 5 Issue 6

Full text available: pdf(340.57 KB)   Additional Information: full citation, citings, index terms, review

12 Formally based profiling for higher-order functional languages

Patrick M. Sansom, Simon L. Peyton Jones

March 1997 **ACM Transactions on Programming Languages and Systems (TOPLAS)**, Volume 19 Issue 2

Full text available: pdf(551.43 KB)   Additional Information: full citation, abstract, references, citings, index terms, review

Membership   Publications/Services   Standards   Conferences   Careers/Jobs

IEEE Xplore

Welcome
United States Patent and Trademark Office

◆ IEEE

IEEE Xplore®
1 Million Documents
1 Million Users

» Search Results

Help   FAQ   Terms   IEEE Peer Review

Welcome to IEEE Xplore

- Home
- What Can I Access?
- Log-out

Tables of Contents

- Journals & Magazines
- Conference Proceedings
- Standards

Search

- By Author
- Basic
- Advanced
- CrossRef

Member Services

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

Quick Links   ▾

Your search matched **103** of **1082760** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in
Descending order.

Refine This Search:
You may refine your search by editing the current search expression or entering a
new one in the text box.

cosmetic or makeup or make up<and>color or colou   Search

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine   **CNF** = Conference   **STD** = Standard

1 **A skeleton and neural network-based approach for identifying cosmetic
surface flaws**
Wang, C.; Cannon, D.J.; Kumara, S.R.T.; Guowen Lu;
Neural Networks, IEEE Transactions on , Volume: 6 , Issue: 5 , Sept. 1995
Pages:1201 - 1211

[Abstract]   [PDF Full-Text (980 KB)]   **IEEE JNL**

2 **Cellular engineering for cosmetology trials: dermal equivalent for
determining cutaneous irritation and efficiency**
Augustin, C.; Frei, V.; Perrier, E.; Collombel, C.; Damour, O.;
Engineering in Medicine and Biology Society, 1996. Bridging Disciplines for
Biomedicine. Proceedings of the 18th Annual International Conference of the
IEEE , Volume: 5 , 31 Oct.-3 Nov. 1996
Pages:2055 - 2056 vol.5

3 **A methodology for evaluating, comparing, and selecting software safety and reliability standards**

Herrmann, D.S.;
Computer Assurance, 1995. COMPASS '95. 'Systems Integrity, Software Safety and Process Security'. Proceedings of the Tenth Annual Conference on , 25-29 June 1995
Pages:223 - 232

[Abstract]   [PDF Full-Text (196 KB)]   **IEEE CNF**

4 **Practical closed loop stand/sit and walking systems for mid thoracic paraplegics**

Eweins, D.J.; Taylor, P.N.; Whittock, T.L.; Fox, B.A.; Lipczynski, R.T.; Swain, I.D.;
Engineering Design for the Disabled, IEE Colloquium on , 10 Nov 1988
Pages:7/1 - 7/3

[Abstract]   [PDF Full-Text (768 KB)]   **IEE CNF**

5 **Improvement of artificial odor discrimination system using fuzzy-LVQ neural network**

Kusumoputro, B.; Widyanto, M.R.; Fanany, M.I.; Budiarto, H.;
Computational Intelligence and Multimedia Applications, 1999. ICCIMA '99. Proceedings. Third International Conference on , 23-26 Sept. 1999
Pages:474 - 478

[Abstract]   [PDF Full-Text (164 KB)]   **IEE CNF**

6 **Future trends in skin resurfacing**

Ross, E.V.;
Lasers and Electro-Optics Society 1999 12th Annual Meeting. LEOS '99. IEEE , Volume: 1 , 8-11 Nov. 1999
Pages:358 - 359 vol.1

[Abstract]   [PDF Full-Text (32 KB)]   **IEEE CNF**

7 **FDA rules for the medical device engineer**

Munzner, R.F.;

Biomedical Engineering., Proceedings of a Special Symposium on Maturing Technologies and Emerging Horizons in , 4-7 Nov. 1988
Pages:48 - 49

[Abstract]   [PDf Full-Text (108 KB)]   **IEEE CNF**

8 Rheological properties of large arteries

Sharma, M.G.;
Bioengineering Conference, 1988., Proceedings of the 1988 Fourteenth Annual Northeast , 10-11 March 1988
Pages:175 - 177

[Abstract]   [PDf Full-Text (144 KB)]   **IEEE CNF**

9 Control of the human environment

Webb, P.;
Automatic Control, IRE Transactions on , Volume: 4 , Issue: 3 , Dec 1959
Pages:36 - 36

[Abstract]   [PDf Full-Text (35 KB)]   **IEEE JNL**

10 The PAR Meter: Applications in Telecommunications Systems

Fennick, J.;
Communications, IEEE Transactions on [legacy, pre - 1988] , Volume: 18 , Issue: 1 , Feb 1970
Pages:68 - 73

[Abstract]   [PDf Full-Text (600 KB)]   **IEEE JNL**

11 Use case maps as architectural entities for complex systems

Buhr, R.J.A.;
Software Engineering, IEEE Transactions on , Volume: 24 , Issue: 12 , Dec. 1998
Pages:1131 - 1155

[Abstract]   [PDf Full-Text (568 KB)]   **IEEE JNL**

12 A new technique for the calculation of the energy stored, dissipated, and recovered in different ankle-foot prostheses

Prince, F.; Winter, D.A.; Sjonnesen, G.; Wheeldon, R.K.;

Rehabilitation Engineering, IEEE Transactions on [see also IEEE Trans. on Neural Systems and Rehabilitation] , Volume: 2 , Issue: 4 , Dec. 1994
Pages:247 - 255

[Abstract]   [PDF Full-Text (764 KB)]   **IEEE JNL**

13 **Project performance and the liability of group harmony**
Brown, K.A.; Klastorin, T.D.; Valluzzi, J.L.;
Engineering Management, IEEE Transactions on , Volume: 37 , Issue: 2 , May 1990

Pages:117 - 125

[Abstract]   [PDF Full-Text (872 KB)]   **IEEE JNL**

14 **Application of artificial neural networks to the design and implementation of electronic olfactory systems**
Brezmes, J.; Canyellas, N.; Llobet, E.; Vilanova, X.; Correig, X.;
Neural Network Applications in Electrical Engineering, 2000. NEUREL 2000. Proceedings of the 5th Seminar on , 25-27 Sept. 2000
Pages:75 - 80

[Abstract]   [PDF Full-Text (392 KB)]   **IEEE CNF**

15 **The evaluating system of human skin surface condition by image processing**
Takemae, Y.; Saito, H.; Ozawa, S.;
Systems, Man, and Cybernetics, 2000 IEEE International Conference on , Volume: 1 , 8-11 Oct. 2000
Pages:218 - 223 vol.1

[Abstract]   [PDF Full-Text (508 KB)]   **IEEE CNF**

1 2 3 4 5 6 7 **Next**